In-row Air-cooled & Water-cooled Cooling Product



NetCol5000-A050H

Product Introduction

NetCol5000-A is an in-row air cooled smart cooling product, adopts DC inverter and high return air temperature design, matches load requirements intelligently. NetCol5000-A uses unique algorithm construct a precision management and intelligent O&M system, makes an efficient, reliable and simple data center.

Application Scenarios

- Modular data center
- · High power density data center
- · Small and medium scale data center
- Especially for high height distance or long refrigerant pipe scenarios



Efficient

Variable frequency design: 10%-100% stepless cooling capacity regulation, higher efficiency

Wet-film humidifier: saves energy by 95%+ compared

with electrode humidifier

iCooling algorithm: intelligently optimizes operation

status, reduces power consumption by 8%+

Reliable

On-line maintain: Indoor fan can be maintained on-line and replaced without shutdown

EEV shut automatically: Expansion valve will shut automatically after unexpected power cut, eliminate liquid return which may hit compressor

Refrigerant detection: All algorithm detects the refrigerant content, generating charging prompt when the refrigerant is insufficient

Simple

Intelligent display: 7" true color screen, display cooling

capacity, air volume real-time, easy O&M

Fault self-diagnosis: remove irrelevant reason intelligently, guiding O&M engineer maintain quickly

No welding maintain: Compressor and dry filter use Rotalock connection, no welding on maintenance



NetCol5000-A050H



Water-cooled module



DC inverter compressor



EC Fan

Technical Specification

Indoor Unit Technical Specification

Unit	NetCol5000-A050H
-	Horizontal
kW	46
kW	46
m ³ /h	9,000
-	380/400/415Vac, 50/60Hz, 3Ph+N+PE
-	R410A
kW	6
kg/h	3
А	46
mm	600×1,200×2,000
kg	305
	- kW kW m³/h - kW kg/h A mm

- 1. Nominal condition: indoor: return air temp. 37°C/RH20%, outdoor: 35°C.
- 2. Heating and humidification function are optional.

Outdoor Air-cooled Condenser Technical Specification

Item	Unit	NetCol500-A060	NetCol500-A080	NetCol500-A120
Power supply	V/Ph/Hz	Pov	ver supply from indoor	unit
Quantity of fans	pcs	1	2	2
Liquid pipe	in		Diameter 5/8 in	
Gas pipe	in		Diameter 7/8 in	
Dimension: W×D×H	mm	1356×1094×1107	2186×1094×1107	2189×1356×1107

Note: actual pipe size may vary.

Outdoor Water-cooled Module Technical Specification

Item	Unit	NetCol500-W055
Power Supply	-	220-240Vac, 50/60Hz, 1Ph+N+PE
Refrigerant Pipe	in	Gas pipe: 7/8; Liquid pipe: 5/8
Water Pipe	-	Inlet/outlet: G1-1/2 internal screw
Full Load Current	А	0.15
Dimension: W×D×H	mm	1510*262*530
Net Weight	kg	60

Copyright © Huawei Technologies Co., Ltd. 2020. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

General Disclaimer

The information in this document may contain predictive statements including, without limitation, statements regarding the future financial and operating results, future product portfolio, new technology, etc. There are a number of factors that could cause actual results and developments to differ materially from those expressed or implied in the predictive statements. Therefore, such information is provided for reference purpose only and constitutes neither an offer nor an acceptance. Huawei may change the information at any time without notice.

HUAWEI TECHNOLOGIES CO., LTD.

Huawei Industrial Base Bantian Longgang Shenzhen 518129, P.R. China Tel: +86-755-28780808 www.huawei.com